



- AND DISTURBANCE SHALL BE KEPT TO A MINIMUM. TABILIZATION SHALL BE SCHEDULED AS SOON AS:STABLISHED. PERMANENT FINAL GRADES ARE
- LL DISTURBED AREAS SHALL BE FINE GRADED AND SEEDED WITH AN PPROVED SEED MIXTURE. COVER NEWLY SEEDED AREAS WITH MULCHAY OR SALT HAY.
- ALL EROSION AND SEDIMENT CONTROL MEASURES SHALL BE CONSTRUCTED IN ACCORDANCE WITH THE STANDARDS AND SPECIFICATIONS OF THE 2002 CONNECTICUT 'GUIDELINES FOR SOIL EROSION AND SEDIMENT CONTROL' HANDBOOK.
- ALL CONTROL MEASURES SHALL BE MAINTAINED IN EFFECTIVE CONDITION THROUGHOUT THE CONSTRUCTION PERIOD. CHECK AFTER SACH STORM EVENT.

LOCATION MAP

- DDITIONAL CONTROL MEASURES SHALL BE INSTALLED DURING THE ONSTRUCTION PERIOD, IF REQUIRED BY TOWN AUTHORITIES.
- EDIMENT DEPOSITS REMOVED FROM FILTER BARRIERS SHALL BE LACED IN FILL AREAS OR SPREAD WHERE THERE IS PROPOSED EGETATIVE COVER. ANY SEDIMENT DEPOSITS REMAINING AFTER THE TLTER BARRIER IS REMOVED SHALL BE FINE GRADED AND PLANTED CCORDING TO PLAN.
- LITY FOR IMPLEMENTING
  AN. THIS RESPONSIBILITY
  NANCE OF CONTROL
  SED ON THE CONSTRUCTION
  VES OF THE PLAN,
  FICE (AND/OR THE
  SFER OF THIS
  OF THE EROSION AND
  THE LAND IS

## GENERAL CONSTRUCTION NOTES:

- CONSTRUCTION AND STRUCTURES SHALL COMPLY WITH ALL MUNICIPAL OR STATE REQUIREMENTS. ALL WORK SHALL BE CERTIFIED BY A REGISTERED PROFESSIONAL ENGINEER, TO THE SATISFACTION OF THE ENGINEERING BUREAU, THAT CONSTRUCTION IS IN ACCORDANCE WITH THESE PLANS.
- THE ENGINEERING BUREAU OF THE DEPARTMENT OF PUBLIC WORKS AND THE ENGINEER OF RECORD SHALL BE NOTIFIED THREE DAYS PRIOR TO THE COMMENCEMENT OF EACH PHASE OF CONSTRUCTION.
- NO CERTIFICATE OF CONFORMANCE TO STANDARDS SHALL BE ISSUED BY THE DESIGN ENGINEER IF PROPER NOTICE IS NOT PROVIDED FOR INSPECTIONS OR IF INSPECTIONS ARE NOT MADE PRIOR TO BACKFILLING OF BELOW GROUND STRUCTURES AND APPURTENANCES.
- SUBSURFACE STRUCTURES AND UTILITIES HAVE BEEN DETERMINED FROM EXISTING RECORDS AND ARE NOT GUARANTEED TO BE COMPLETE OR ACCURATE. IN ORDER TO AVOID CONFLICT OF THE PROPOSED WORK AND EXISTING UTILITIES, THE CONTRACTOR SHALL LOCATE EXISTING UTILITIES BY EXCAVATING TEST HOLES. IF THE CONTRACTOR DETERMINES THAT A CONFLICT EXISTS, HE SHALL IMMEDIATLEY NOTIFY THE ENGINEER, WHO WILL MAKE THE NECESSARY ADJUSTMENTS.
- EXISTING SITE INFORMATION WAS TAKEN FROM AN A-2 SURVEY TITLED 'MAP OF PROPERTY PREPARED FOR JONATHAN S., JANICE S. AND SARA B. APPLEBAUM, WILTON, CT' BY ROLAND H. GARDNER, LAND SURVEYOR, DATED JULY 3, 1995.

5

6

- ALL HIGH-DENSITY POLYETHYLENE (H.D.P.E.) STORM DRAIN PIPE SHALL BE 'SMOOTH INTERIOR' TYPE AND MEET THE REQUIREMENTS OF ASTM F405 & F667 AND AASHTO M252 & M294.
- WETLANDS WERE FLAGGED BY MR. BRUCE LASKY, SOIL SCIENTIST ON JUNE 22, 1995, AND FIELD LOCATED BY ROLAND GARDNER, LAND SURVEYOR.
- THE CONTRACTOR SHALL NOTIFY "CALL BEFORE YOU DIG" AT 1-800-922-4455, PRIOR TO START OF CONSTRUCTION. TOTAL SITE AREA = 1.236 AC.
- LOCATIONS OF CRITICAL UTILITIES SHALL BE VERIFIED IN THE FIELD, BY THE CONTRACTOR, AT THE START OF CONSTRUCTION.

  VERTICAL DATUM= N.A.V.D. 88

  (CONTOURS SHOWN AT 2 FOOT INTERVALS)

<u></u>

PROPERTY IS LOCATED IN THE 'R-1A' ZONE.

13.

12.

10.

THE PROPERTY IS SERVED BY A PRIVATE WELL AND ON-SITE SEWAGE DISPOSAL SYSTEM.

9.

œ

OWNER: WILLIAM & LORI FUSCO 90 KENT ROAD WILTON, CT 06897 MBL: 97-13

ALL RECHARGER 150HD HEAVY-DUTY UNITS ARE MARKED WITH A COLOR STRIPE FORMED INTO THE PART ALONG THE LENGTH OF THE CHAMBER.
ALL RECHARGER 150 CHAMBERS MUST BE INSTALLED IN ACCORDANCE WITH ALL APPLICABLE LOCAL, STATE AND FEDERAL REGULATIONS.

	GRUMMAN ENGINEERING L.L.C.
10-19-20 date	PROPOSED POOL
1 OF 1 sheet	NV 1d INJMJANOBAMI JIIS
project	90 KENT ROAD WILTON, CONNECTICUT
20-5345	FUSCO RESIDENCE

20 KNIGHT STREET, NORWALK, CONNECTICUT 06851 PH: (203) 853-3833 FAX: (203) 286-5057 CONSULTING CIVIL ENGINEERS 201020 POOL