





MATERIAL NOTES:  
WOODEN PLAQUE AND ALUMINUM BASE MATERIAL WITH POWDER COAT FINISH.  
DECORATIVE 'G' AND SMOOSH - CMYK 0%, 0%, 0%, 15%  
TEXT - CMYK 100%, 85%, 20%, 20%  
BACKGROUND - WHITE WITH BLUE BORDER  
APPROX. SQ. FT. 15.01 SQ. FT.

1 PROPOSED WALL MOUNTED LOGO ON NORTH OR EAST FACING BRICK WALLS  
SCALE 3/4" = 1' - 0"

MATERIAL NOTES:  
ALUMINUM BASE MATERIAL WITH POWDER COAT FINISH.  
DECORATIVE 'G' AND SMOOSH - CMYK 0%, 0%, 0%, 15%  
TEXT - CMYK 100%, 85%, 20%, 20%  
APPROX. SQ. FT. 13.40 SQ. FT.

2 PROPOSED WALL MOUNTED LOGO ON NORTH OR EAST FACING BRICK WALLS  
SCALE 3/4" = 1' - 0"

MATERIAL NOTES:  
METAL SIGN - LAMINATED  
DECORATIVE 'G' AND SMOOSH - CMYK 0%, 0%, 0%, 15%  
LOGO TEXT - CMYK 100%, 85%, 20%, 20%  
BACKGROUND - WHITE  
SIGN TEXT/ BORDER - BLACK  
APPROX. SQ. FT. 2.99 SQ. FT.

5 PROPOSED PARKING SIGNS  
SCALE 3" = 1' - 0"

MATERIAL NOTES:  
METAL SIGN - LAMINATED  
DECORATIVE 'G' AND SMOOSH - CMYK 0%, 0%, 0%, 15%  
LOGO TEXT - CMYK 100%, 85%, 20%, 20%  
BACKGROUND - WHITE  
SIGN TEXT/ BORDER - BLACK  
APPROX. SQ. FT. 2.99 SQ. FT.

7 PROPOSED PARKING SIGNS  
SCALE 3" = 1' - 0"

MATERIAL NOTES:  
TRANSLUCENT DECAL STICKER  
TEXT - CMYK 0%, 0%, 0%, 15%  
APPROX. SQ. FT. 14.20 SQ. FT.

3 PROPOSED FRONT WINDOW DECAL  
SCALE 3/4" = 1' - 0"

MATERIAL NOTES:  
WOODEN PLAQUE AND POSTS - PAINTED  
DECORATIVE 'G' AND SMOOSH - CMYK 0%, 0%, 0%, 15%  
TEXT - CMYK 100%, 85%, 20%, 20%  
BACKGROUND - BLUE  
APPROX. SQ. FT. 12.00 SQ. FT.

4 PROPOSED NORTH ENTRANCE FREE-STANDING/ DIRECTIONAL SIGN  
SCALE 3/4" = 1' - 0"

MATERIAL NOTES:  
METAL SIGN - LAMINATED  
DECORATIVE 'G' AND SMOOSH - CMYK 0%, 0%, 0%, 15%  
LOGO TEXT - CMYK 100%, 85%, 20%, 20%  
BACKGROUND - WHITE  
SIGN TEXT/ BORDER - BLACK  
APPROX. SQ. FT. 2.99 SQ. FT.

6 PROPOSED DIRECTIONAL SIGN AT REAR BUILDING ENTRY  
SCALE 3/4" = 1' - 0"

MATERIAL NOTES:  
METAL SIGN - LAMINATED  
DECORATIVE 'G' AND SMOOSH - CMYK 0%, 0%, 0%, 15%  
LOGO TEXT - CMYK 100%, 85%, 20%, 20%  
BACKGROUND - WHITE  
SIGN TEXT/ BORDER - BLACK  
APPROX. SQ. FT. 2.99 SQ. FT.

8 PROPOSED PARKING SIGNS  
SCALE 3/4" = 1' - 0"

GLENGATE  
47 OLD RIDGEFIELD ROAD, WILTON, CT  
PROPOSED SIGNAGE DETAILS



DRAWN BY: VC CHECKED: JS/SG SCALE: AS NOTED DATE: 2023-08-18 REVISION:		
SYM	DATE	NOTE
	2023-08-21	FIRST SUBMITTAL
	2023-08-24	PARKING SIGNS
	2023-09-25	REVISED SIGNS




---

This letter is to inform the Planning and Zoning Committee that Glengate Company will be modifying our site plan development application to remove any aspects of our application related to the landscape so we can fully focus on our signage at this time. Our signage plan is as follows:


- Modification to previously approved opaque sign on showroom display large window. The modified sign language now includes the words "DESIGN SHOWROOM", which is our newly created language to call attention to our retail showroom.
- Two wall-mounted signs. One will be where the Bankwell wall mounted sign was on the right-hand side of the building and the other will be at the front of the building.
- One free standing signs, which includes directional signage and is in the same location as the previous Bankwell sign freestanding sign which is on the left when pulling into the parking lot. This sign will be up lit, landscape style, 2 light fixtures facing each sign face, LED, 15 watt, 60 degree, par 36, 3000K.
- Two identification signs at the side door and front door with our business hours.
- One directional sign at the rear of the building to signify the location of our office and "design showroom".
- One parking sign for to signify the location of our client parking at the front of our building
- Two parking signs to signify the location of parking for Glengate marked trucks at the rear of our building.
- One parking sign to signify Glengate parking







1 PROPOSED NORTH ELEVATION  
SCALE: 1/4"=1'-0"



2 PROPOSED EAST ELEVATION  
SCALE: 1/4"=1'-0"



GLENGATE  
47 OLD RIDGEFIELD ROAD, WILTON, CT  
PROPOSED SIGNAGE ELEVATIONS


GLENGATE 221 DANBURY ROAD, WILTON, CONNECTICUT 06897 (203) 762-2000  
THIS DESIGN © COPYRIGHT BY GLENGATE 2023 NOT FOR CONSTRUCTION EXCEPT BY GLENGATE



DRAWN BY: VC CHECKED: JS SCALE: 1/4" = 1' 0" DATE: 2023-08-18 REVISION:		
SYM	DATE	NOTE
	2023-08-21	FIRST SUBMITTAL
	2023-09-25	REVISED SIGNS




APPROX. SQ. FT. 15.01 SQ. FT.



1 PROPOSED WALL MOUNTED LOGO ON NORTH OR EAST FACING BRICK WALLS  
SCALE: 3/4" = 1' - 0"

APPROX. SQ. FT. 13.40 SQ. FT.



2 PROPOSED WALL MOUNTED LOGO ON NORTH OR EAST FACING BRICK WALLS  
SCALE: 3/4" = 1' - 0"

APPROX. SQ. FT. 2.99 SQ. FT.




## 5 PROPOSED PARKING SIGNS

APPROX. SQ. FT. 2.99 SQ. FT.



7 PROPOSED PARKING SIGNS  
SCALE: 3" = 1' - 0"

APPROX. SQ. FT. 14.20 SQ. FT.




3 PROPOSED FRONT WINDOW DECAL  
SCALE: 3/4"=1' = 0"

APPROX. SQ. FT. 12.00 SQ. FT.



4 PROPOSED NORTH ENTRANCE FREE-STANDING/ DIRECTIONAL SIGN  
SCALE: 3/4" = 1' - 0"

APPROX. SQ. FT. 2.99 SQ. FT.



6 PROPOSED DIRECTIONAL SIGN AT REAR BUILDING ENTRY  
SCALE: 3/4"=1' = 0"

APPROX. SQ. FT. 2.99 SQ. FT.



8 PROPOSED PARKING SIGNS  
SCALE: 3/4"=1' - 0"

GLENGATE 221 DANBURY ROAD, WILTON, CONNECTICUT 06897 (203) 762-2000  
THIS DESIGN © COPYRIGHT BY GLENGATE 2023 NOT FOR CONSTRUCTION EXCEPT BY GLENGATE









## PRODUCT SPECIFICATIONS

PROJECT:	
MODEL #:	
LAMP(S):	
NOTES:	



## Specifications:

- Solid cast brass construction
- Machined brass thumb screw
- High temperature LED *FLEX-FIT*™ gasket
- Specification grade, beryllium copper socket
- Premium grade direct burial cable
- 8W max. LED lamp / 35W max. halogen
- Large Stabilizer mounting stake included
- Weathered brass finish standard
- 15 year warranty

## Light Distribution Cones:

### LED-8W-CM6FL27K

Illuminance at a Distance			
	Center Beam fc	Beam Width	
4.3ft	81.8 fc	3.0 ft	3.1 ft
8.7ft	20.0 fc	6.2 ft	6.2 ft
13.0ft	8.95 fc	9.2 ft	9.2 ft
17.3ft	5.06 fc	12.3 ft	12.3 ft
21.7ft	3.21 fc	15.4 ft	15.4 ft
26.0ft	2.24 fc	18.4 ft	18.4 ft

■ Vert. Spread: 39.0°  
■ Horiz. Spread: 39.1°

### LED-8W-CM6FL30K

Illuminance at a Distance			
	Center Beam fc	Beam Width	
4.3ft	86.1 fc	3.0 ft	3.0 ft
8.7ft	21.0 fc	6.1 ft	6.0 ft
13.0ft	9.42 fc	9.1 ft	9.0 ft
17.3ft	5.32 fc	12.1 ft	12.0 ft
21.7ft	3.38 fc	15.2 ft	15.0 ft
26.0ft	2.35 fc	18.2 ft	18.0 ft

■ Vert. Spread: 38.5°  
■ Horiz. Spread: 38.2°

**NOTE:** Light cones are depicted without supplied lenses. Maximum wattage shown, for all other wattage options please refer to [uniquelighting.com/beamspreads](http://uniquelighting.com/beamspreads).

Unique Lighting Systems® reserves the right to modify the design and/or construction of the fixture shown without further notification.



c US  
 UL 2108:2004 R12.07  
 CSA C22.2.9.0-96 (R2006)



## Fixtures

### Part Number

INTR-12-L327  
INTR-12-L427  
INTR-12-L430  
INTR-12-L527  
INTR-12-L530  
INTR-12-L827  
INTR-12-L830  
INTR-NL  
INTR-NL-0  
INTR-NL-50  
INTR-NL-BK  
INTR-NL-P

### Description

INTREPID BR 12V LED 3W 27K 25"WL WB  
INTREPID BR 12V LED 4W 27K 25"WL WB  
INTREPID BR 12V LED 4W 30K 25"WL WB  
INTREPID BR 12V LED 5W 27K 25"WL WB  
INTREPID BR 12V LED 5W 30K 25"WL WB  
INTREPID BR 12V LED 8W 27K 25"WL WB  
INTREPID BR 12V LED 8W 30K 25"WL WB  
INTREPID BR NL 25"WL WB  
INTREPID BR NL NWL WB  
INTREPID BR NL 50"WL WB  
INTREPID BR NL 25"WL BK  
INTREPID BR NL 25"WL PNT

## Accessories

### Part Number

SPHEREBASE SB  
ZEROG-WB  
6RISER  
12RISER  
24RISER  
12ADJRISER  
24ADJRISER

### Description

Round Mounting Base  
Docking Post W/Brass Cap  
6" Brass Riser  
12" Brass Riser  
24" Brass Riser  
12" Adjustable Brass Riser WB  
24" Adjustable Brass Riser WB

## Finishes

### Standard Finish

WB - Weathered Brass

### Powder Coated Finishes

WH - White  
BK - Black  
VG - Verde Green  
TT - Tucson Tan  
TK - Titanium Knight

### Custom Colors

P - Painted

Stock powder coated colors displayed are subject to varying lead-times and will incur an additional cost. A Limited Warranty applies to all powder coated products.

Custom colors are available upon request. Please inquire about cost and lead times. Contact factory for custom colors and matching paint options.