# Multifamily Housing (Low-Rise) (220)

Peak Period Parking Demand vs: Bedrooms

On a: Weekday (Monday - Friday)


Setting/Location: General Urban/Suburban (no nearby rail transit)

Peak Period of Parking Demand: 11:00 p.m. - 6:00 a.m.

Number of Studies: 45 Avg. Num. of Bedrooms: 215

### **Peak Period Parking Demand per Bedroom**

Average Rate	Range of Rates	33rd / 85th Percentile	95% Confidence Interval	Standard Deviation (Coeff. of Variation)
0.66	0.37 - 1.38	0.61 / 0.86	0.62 - 0.70	0.15 (23%)



Parking Generation Manual, 5th Edition • Institute of Transportation Engineers

# Multifamily Housing (Low-Rise) (220)

Peak Period Parking Demand vs: Occupied Dwelling Units

On a: Weekday (Monday - Friday)

Setting/Location: General Urban/Suburban (no nearby rail transit)


Peak Period of Parking Demand: 11:00 p.m. - 6:00 a.m.

Number of Studies: 77

Avg. Num. of Occupied Dwelling Units: 182

### Peak Period Parking Demand per Occupied Dwelling Unit

Average Rate	Range of Rates	33rd / 85th Percentile	95% Confidence Interval	Standard Deviation (Coeff. of Variation)
1.22	0.58 - 2.30	1.02 / 1.41	1.15 - 1.29	0.32 (26%)



Parking Generation Manual, 5th Edition • Institute of Transportation Engineers

# Multifamily Housing (Mid-Rise) (221)

Peak Period Parking Demand vs: Bedrooms

On a: Weekday (Monday - Friday)


Setting/Location: General Urban/Suburban (no nearby rail transit)

Peak Period of Parking Demand: 10:00 p.m. - 5:00 a.m.

Number of Studies: 35 Avg. Num. of Bedrooms: 294

### **Peak Period Parking Demand per Bedroom**

Average Rate	Range of Rates	33rd / 85th Percentile	95% Confidence Interval	Standard Deviation (Coeff. of Variation)
0.75	0.41 - 1.00	0.65 / 0.87	0.70 - 0.80	0.15 (20%)



Parking Generation Manual, 5th Edition • Institute of Transportation Engineers

# Multifamily Housing (Mid-Rise) (221)

Peak Period Parking Demand vs: Occupied Dwelling Units

On a: Weekday (Monday - Friday)


Setting/Location: General Urban/Suburban (no nearby rail transit)

Peak Period of Parking Demand: 10:00 p.m. - 5:00 a.m.

Number of Studies: 48 Avg. Num. of Occupied Dwelling Units: 234

#### Peak Period Parking Demand per Occupied Dwelling Unit

Average Rate	Range of Rates	33rd / 85th Percentile	95% Confidence Interval	Standard Deviation (Coeff. of Variation)
1.32	0.75 - 2.03	1.04 / 1.51	1.25 - 1.39	0.24 (18%)



Parking Generation Manual, 5th Edition • Institute of Transportation Engineers