



















Product Photo	FC Meter Testing IMAGES	Plan Identifier E-Existing N-New Purchase	Quantit y Of Lights	Bulb Type	Specifications Watt/Lumens
	NOTES				
		EBFL AREA A	3	Fluorescent	2.5 FC @ 8' (TESTED) 500 LUMENS
		EWL AREA B	7	Fluorescent	2.5 FC @ 6' (TESTED) 200 LUMENS
		NFL 20' Hight AREA A	2	LED	1.5 FC @ 50' 6000 LUMENS (Intensity adjustable to be able to fine tune parking)
		EWL AREA A	2	LED	2.8 FC @ 8' 500 LUMENS

		ESC AREA C	2	LED	50 Watt (5) 2.5 FC @ 8' 500 Lumens Sconces need to be rewired in LED Transformers dead
		NB AREAS - A,B,D	12	LED	25 Watt 850 Lumens Natural Light 4000K
			6	LED	Small Size Bollards for Garden Applications 500 Lumens
		NFL- Front Yard AREA C	2	LED	50 Watt 38 Degree Narrow Beam Flood 280 Lumens
		NFL - Sign	2	LED	50 Watt 110 Degree beam 2640 lumens

AREA	New/Existing	Quantity /Lumens	Total Lumens	Light and Location
AREA A PARKING LOT 7200 SQFT 18,000 Lumens needed @ 2.5 Foot Candles	N	6 @ 840 Lumens	5040	Back Parking Lot
	E	3 @ 500 Lumens	1500	Center Island Bollards
	N	3 @ 500 Lumens	1500	Rear Doors Garden Bollards
	N	2 @ 850 Lumens	1700	Parking Lot Entrance Bollards
	E	2 @ 500 Lumens	1000	Small Door Sconces
	E	2 @ 6000 Lumens (Adjustable Intensity)	12000	Rear Façade 20' High Corner Spots ADJUSTABLE INTENSITY
TOTALS	11/7	18	22740	
AREA B MAIN ENTRANCE 2000 SQFT 5000 Lumens needed @ 2.5 Foot Candles	E	5 @ 200 Lumens	1000	Terrace Walkway Lights
	N	1 @ 600	600	Under Entrance Overhang
	N	4 @ 850	3400	Stair & Hollyhock Walkway Bollards
TOTALS	5/5	10	5000	
AREA C FRONT TERRACE 800 SQFT 2000 Lumens needed @ 2.5 Foot Candles	E	2 @ 500 Lumens	1000	Front of Building Sconces
	E	2 @ 200 Lumens	400	Terrace Walkway Lights
	E	2 @ 280 Lumens	540	Garden Spot Lights
TOTALS	0/6	6	1950	
AREA C SOUTH SIDEWALK 1750 SQFT 4375 Lumens needed @ 2.5 Foot Candles	N	5 @ 850 Lumens	4250	Stairway and Garden Walkway Bollards
	E	1 @ 400 Lumens	400	Door Sconce
TOTALS	5/1		4650	
New Lights = 21 Existing Lights = 19 Goal – 2.5 Foot Candles (average illumination)				

<div>Project</div> <div>PROPOSED 8-30g AFFORDABLE RESIDENTIAL UNITS</div> <div>CLARK HOLDINGS, LLC</div> <div>2 HOLLYHOCK ROAD, WILTON CT</div>	<div>Drawing Title</div> <div>ART HOUSE</div> <div>2 HOLLYHOCK ROAD, WILTON CT</div>	<div>Drawing No.</div> <div>LP-Detail</div>
<div>Douglas Cutler Architect, AIA - Code Consultant (203)761-9561</div> <div>Gregory Clark Designer, Industrial Designer, RISD (203)515-1122</div>	<div>Date Prepared 2/15/2021</div> <div>Date Revised</div>	