GREGORY AND ADAMS, P.C.

DANIEL L. CONANT
TREVOR CONLOW\$
SUSAN L. GOLDMAN
J. VANCE HANCOCK
J. CASEY HEALY
MICHAEL LAMAGNA*
DERREL M. MASON*

ATTORNEYS AT LAW
190 OLD RIDGEFIELD ROAD
WILTON, CT 06897
(203) 762-9000
FAX: (203) 834-1628

Julian A. Gregory (1912 - 2002)

THOMAS T. ADAMS (1929 - 2015)

ESTABLISHED 1964

New York Office: 399 Knollwood Road - Suite 201 White Plains, NY 10603 (914) 848-5000

PLEASE REPLY TO SENDER: JAMES D'ALTON MURPHY DIRECT DIAL: 203-571-6309 jmurphy@gregoryandadams.com

* ALSO ADMITTED IN NEW YORK

ALSO ADMITTED IN VERMONT
ADMITTED IN NY AND NJ ONLY

ROGER R. VALKENBURGH *

MATTHEW C. MASON*

KATHLEEN L. ROYLE *

RALPH E. SLATER

JAMES D'ALTON MURPHY*

PAUL H. BURNHAM

WWW.GREGORYANDADAMS.COM

August 3, 2022

By E-mail and Hand Delivery

Planning and Zoning Commission Town Hall Annex 238 Danbury Road Wilton, CT 06897

Attn: Mr. Michael Wrinn – Director of Planning and Land Use Management

Re: ASML US, LLC – Application to Planning and Zoning Commission (SP#492)

Premises: 77 Danbury Road, Wilton, Connecticut

Dear Mr. Chairman and Members of the Commission:

We are forwarding the following information provided by Tighe & Bond, Inc. to supplement the referenced application:

- 1. Screen shots of renderings of proposed driveway which will be shared in video format at the public hearing scheduled for August 8th.
- 2. Driveway Cross-Sections (Sheets 1, 2 and 3) dated August 3, 2022.
- 3. Planting Plans (L-100, L-101 and L-102) dated May 24, 2022 and revised August 3, 2022.

Respectfully submitted, Gregory and Adams, P.C.

By: James D'Alton Murphy


James D'Alton Murphy

JD'AM/ko Enclosures Planning and Zoning Commission August 3, 2022 Page 2 of 2

cc: Mr. Jason Domena – ASML Ms. Marilee Beebe – WSP John W. Block, P.E., Joseph A. Canas, P.E. – Tighe & Bond Kathleen L. Royle, Esq. Daniel L. Conant, Esq.






















TOWN SUBMISSION

DRAWINGS

1000 Bridgeport Avenue Suite 320 Shelton, CT 06484 (203) 712-1100

ASML

Campus Traffic Flow Safety Improvements

77 Danbury Road Wilton, Connecticut

·	DATE	DESCRIPTION			
EC	CT NO:	A0969-015			
:		08/03/2022			


1 08/03/2022


A0969-015-C-700-XXX-RENDER.dwg DRAWN BY: DESIGNED/CHECKED BY: JAC

DRIVEWAY CROSS-SECTIONS

SHEET 1

NO SCALE





TOWN SUBMISSION DRAWINGS

1000 Bridgeport Avenue Suite 320 Shelton, CT 06484 (203) 712-1100

ASML

Campus Traffic Flow Safety Improvements

77 Danbury Road Wilton, Connecticut


08/03/2022

A0969-015-C-700-XXX-RENDER.dwg DRAWN BY: DESIGNED/CHECKED BY: JAC

DRIVEWAY CROSS-SECTIONS

SHEET 2

NO SCALE



TOWN SUBMISSION

Tighe&Bond
1000 Bridgeport Avenue
Suite 320
Shelton, CT 06484
(203) 712-1100

ASML

DRAWINGS

Campus Traffic Flow Safety Improvements

77 Danbury Road Wilton, Connecticut


ARK	DATE	DESCRIPTION
ROJE	CT NO:	A0969-015
ATE:		08/03/2022


A0969-015-C-700-XXX-RENDER.dwg DRAWN BY: DESIGNED/CHECKED BY: JAC


DRIVEWAY CROSS-SECTIONS

NO SCALE

SHEET 3









1 LAWN

SCALE: 1"=1'-0"

SECTION



GROUNDCOVER / PERENNIAL PLANTING
SCALE: 1"=1'-0"



PREVAILING WIND · TREE CANOPY TREE STAKE, TYP. STAKE LOCATIONS SHALL NOT INTERFERE WITH BRANCHES. PLAN - TREE STAKING SCALE: 1/4" = 1'-0" FOR BALLED AND BURLAPPED TREES, REMOVE UPPER HALF OF BURLAP AND TWINE. FOR CONTAINERIZED TREES, REMOVE TREES FROM CONTAINERS PRIOR TO PLANTING AND SCARIFY ROOT BALL IN 4 PLACES TO ½" DEPTH. LOOSE OR CRACKED ROOT BALLS WILL NOT BE ACCEPTED FOR PLANTING. 3. FLOOD WATERING SAUCER TWICE DURING FIRST 24 HOURS AFTER PLANTING. 4. IF SETTLEMENT OCCURS AFTER PLANTING AND WATERING, RAISE AND REPLANT TREE. INSTALL TREE PLUMB, REMOVE EXCESS NURSERY SOIL FROM TOP OF ROOT BALL TO LEVEL OF ROOT FLARE, SET ROOT FLARE 2" ABOVE FINISH GRADE AFTER SETTLEMENT (3) TWO-INCH TREE STAKES INSTALLED 2" CLEAR OF ROOT BALL AND 2'-0" DEEP INTO GRADE. SECURE TREE WITH ARBORTIE OR APPROVED EQUAL. REMOVE ONE YEAR AFTER INSTALL UNLESS DIRECTED BY FOR BARE ROOT PLANTINGS, SET -LANDSCAPE ARCHITECT ROOT FLAIR FLUSH WITH SOIL, FAN ROOTS OUT TO NATURAL SPREAD — 4" HIGH SOIL BERM AROUND ROOT BALL — 2" MULCH, KEEP 1" FROM BASE OF TREE TRANSITION LAYER, TILL AND SCARIFY SUBGRADE MIXING PLANTING SOIL INTO SUBGRADE PREPARED SUBGRADE AT PLANT BED AT LAWN CONDITION CONDITION SOIL PAD (SAND BORROW NATIVE SOIL - NO SUBSOIL) 3X ROOTBALL WIDTH MIN. TREE PLANTING
SCALE: 1/2"=1'-0"

TREE PROTECTION NOTES:

- 1. EXISTING TREES SHOWN TO REMAIN ARE TO BE PROTECTED
- DURING CONSTRUCTION.

 2. TREE PROTECTION MEASURES SHALL REMAIN IN PLACE DURING CONSTRUCTION AND SHALL BE IN ACCORDANCE WITH LOCAL MUNICIPALITIES' STANDARDS AND ORDINANCES.
- LOCAL MUNICIPALITIES' STANDARDS AND ORDINANCES.

 3. THE CRITICAL ROOT ZONE (CRZ) OF A TREE SHALL BE DEFINED AS THE CIRCLE ON THE GROUND AROUND WHICH TREE PROTECTION FENCING IS REQUIRED. UNLESS OTHERWISE INDICATED ON THE DRAWINGS OR DIRECTED BY AN ARBORIST, THE RADIUS OF THE CIRCLE IS DETERMINED BY A 1:1 RATIO OF THE TREE'S DIAMETER BREAST HEIGHT (DBH) IN INCHES TO THE RADIUS OF THE CRZ IN FEET.
- PROVIDE SIGNAGE AT 30' SPACING WITH THE FOLLOWING TEXT:
 "NO ENTRY TREE PROTECTION AREA STORAGE OF FILL,
 CONSTRUCTION DEBRIS OR CHEMICALS IS PROHIBITED FENCE
 PROTECTION MAY NOT BE REMOVED OR ALTERED WITHOUT
 OWNER APPROVAL." SIGN LANGUAGE IS SUBJECT TO CHANGE
 BASED ON REQUIREMENTS BY LOCAL AUTHORITIES.
- SET POSTS PLUMB. VERIFY LOCATION IN FIELD WITH OWNER'S REPRESENTATIVE
 6'-0" HIGH CONSTRUCTION CHAIN LINK FENCE SET FABRIC
- SECURELY TO POSTS AND SUPPORTS WITH WIRE TIES 12" O.C.

 TEMPORARY 3" DEPTH SHREDDED MULCH TO BE HAND RAKED
 AND REMOVED AFTER CONSTRUCTION OPERATIONS AND FENCE
- PORTABLE CONCRETE FOOTING SET ON GRADE SHIM FOOTING TO ALLOW POSTS TO STAND PLUMB AND SECURE DO NOT SET BOTTOM OF POSTS LOWER THAN BOTTOM OF PORTABLE CONCRETE FOOTING

- 4. CRITICAL ROOT ZONES SHALL BE KEPT FREE OF TRASH AND DEBRIS. NO MATERIALS SHALL BE STOCKPILED OR STORED IN AND NO MIXING, CLEANING, OR DISPOSING OF LIQUIDS OR OTHER MATERIALS SHALL OCCUR WITHIN THE CRZ.
- 5. NO ATTACHMENTS OR WIRES OF ANY KIND, OTHER THAN THOSE OF A PROTECTIVE NATURE, SHALL BE ATTACHED TO ANY TREE.
- ANY TREE.

 6. STAGING SHALL NOT OCCUR IN UNPROTECTED CRITICAL ROOT ZONES. IF STAGING IS REQUIRED IN AREAS OTHER THAN THOSE PROVIDED, PRE-APPROVAL BY THE ARBORIST AND IS REQUIRED. ADDITIONAL PROTECTION MEASURES MAY BE REQUIRED.

TOWN
SUBMISSION
DRAWINGS

Suite 320

Shelton, CT 06484

(203) 712-1100

ASML

Campus Traffic Flow Safety Improvements

77 Danbury Road Wilton, Connecticut

·		
·		
1	08/03/2022	ADDED SHELF PLANTINGS
MARK	DATE	DESCRIPTION
PROJE	CT NO:	A0969-015
D 4 T C		05/24/2022

DATE: 05/24/2022

FILE: A0969-015-L-100-PLNT.dwg


DRAWN BY: JRM

DESIGNED/CHECKED BY: SR
APPROVED BY: JWB

PLANTING DETAILS

AS SHOWN

L-102



5 TREE PROTECTION FENCE
SCALE: 1/4"=1'-0"

LAYOUT TREE PROTECTION FENCE ALONG THE

PERIMETER OF THE CRITICAL ROOT ZONE (SEE NOTES)