



Bobcat of Stratford
 821 Woodend Road
 Stratford, CT 06615
 USA
 203-380-2300 (Phone)
 203-380-9791 (Fax)
<http://www.bobcatct.com/>

QUOTATION

Quote #	Quote Created	Last Updated	Salesperson
152364	February 7, 2023 09:28 AM by Bobcat of Stratford	February 7, 2023 09:36 AM by Bobcat of Stratford	Frank Vincze

CUSTOMER:	BILL TO:	SHIP TO:
Town of Wilton 238 Danbury Road Danbury, CT 06897 USA 203-216-8387 (Phone) Pat Cavalieri (Contact) pat.cavalieri@wiltonct.org	Bobcat of Stratford 821 Woodend Rd Stratford, CT 06615 USA 203-380-2300 (Phone) 203-380-9791 (Fax)	Bobcat of Stratford 821 Woodend Rd Stratford, CT 06615 USA 203-380-2300 (Phone) 203-380-9791 (Fax)

INTIMIDATOR 15XP (15" DRUM STYLE) BRUSH BANDIT

Qty	Part #	Description	Base Price
1	MODEL-15XP	Intimidator 15XP - (15" Drum Style) Brush Bandit	\$ 43105.00

STANDARD EQUIPMENT

Qty	Part #	Description	Price
1	STANDARD	37" diameter x 18 3/4" wide drum with (4) 5/8" X 5 1/2" X 9" dual edge knives	\$ 0.00
1	STANDARD	"Drum Shear Bar" spans full width of the drum mounted in the upper portion of the drum housing potentially creating a slicing action of a winch line or climber's rope	\$ 0.00
1	STANDARD	Patented 'power slot' assists in maximizing chip velocity. The power slot also provides a place for fine material to escape that might tend to lie in the belly of the drum.	\$ 0.00
1	STANDARD	25 gallon steel fuel tank with magnetic drain plug, lockable filler cap, and aluminum sight gauge	\$ 0.00
1	STANDARD	12 gallon steel hydraulic tank with magnetic drain plug, lockable filler cap, and aluminum sight gauge	\$ 0.00
1	STANDARD	Slide box feed system (includes adjustable spring on each side) with (2) horizontal feed wheels 10 5/8" diameter x 18 3/4" wide, driven by (2) 32.3 CID hydraulic motors.	\$ 0.00
1	STANDARD	Hydraulic lift cylinder - utilizes a hydraulic cylinder to raise or provide down pressure for the top feed wheel	\$ 0.00
0	STANDARD	Bottom feed wheel clean out door (opens via spring latch pin allowing dirt and debris to fall out extending knife and component life)	\$ 0.00
1	STANDARD	360 degree HAND crank swivel discharge (height adjustable) with 12" adjustable chip deflector	\$ 0.00
1	STANDARD	Clean out and inspection door on discharge bottom	\$ 0.00
0	STANDARD	29" high x 54" wide tapered infeed hopper with 30" fold down infeed hopper tray, heavy-duty taillight covers, and spring lift assists	\$ 0.00
1	STANDARD	4" x 6 1/2" inspection window on belt shield	\$ 0.00
1	STANDARD	(2) Last chance safety pull cables	\$ 0.00
1	STANDARD	Round control bar - located around top and sides of infeed hopper with 3 control positions (forward / stop / reverse)	\$ 0.00
1	STANDARD	Wooden pusher tool with mount on infeed hopper	\$ 0.00
1	STANDARD	3/16" x 2" x 6" rectangular tubing with a 3/8" x 3" x 6" tubular tongue	\$ 0.00
1	STANDARD	Frame / Fender supports	\$ 0.00
1	STANDARD	Lockable aluminum toolbox	\$ 0.00
1	STANDARD	5/16" (G70) safety chains with spring loaded latch hooks	\$ 0.00

0	STANDARD	8,000 pound capacity tongue jack with 15" of travel and foot pad	\$ 0.00
1	STANDARD	12 volt system with rubber mounted LED taillights, 6 prong replaceable coiled power cord & protected heavy-duty wiring with junction box, and LED clearance lights with reflectors.	\$ 0.00
1	STANDARD	Banded chipper drive belts (adjustable via a sliding engine system)	\$ 0.00
1	STANDARD	Pressure check kit - Gauge is NOT included	\$ 0.00
1	STANDARD	Weather resistant manual container	\$ 0.00
1	STANDARD	Engine disable plug for hood locking pin-preventing engine from operating without pin in place	\$ 0.00
1	STANDARD	(1) weatherproof machine manual (includes safety, operation and parts sections) also (1) engine and clutch manual is included if applicable	\$ 0.00
1	STANDARD	Spanish & English combination safety decals	\$ 0.00

PAINT

Qty	Part #	Description	Unit Price	Total
1	333-32273	Standard Imron Industrial Urethane Bandit Yellow	\$ 0.00	\$ 0.00

ENGINE

Qty	Part #	Description	Unit Price	Total
1	990-RC1591-122	Caterpillar C4.4, 174 horsepower engine without clutch - Tier 4 FINAL / STAGE V (Includes 2 year / 2,000 hour engine warranty)	\$ 38885.00	\$ 38885.00

CONTROL SYSTEM AND ENGINE INSTALLATION

Qty	Part #	Description	Unit Price	Total
1	700-6000-07	Murphy PV380 panel with reversing auto feed for Cat 174 horsepower diesel engines (Includes 1,000 CCA battery with box and enclosure by Bandit - Panel is mounted off of engine shroud in lockable composite cover)	\$ 7825.00	\$ 7825.00

CLUTCH

Qty	Part #	Description	Unit Price	Total
1	700-1000-13	NACD over center (double plate clutch)	\$ 1575.00	\$ 1575.00

DRIVE SYSTEM

Qty	Part #	Description	Unit Price	Total
1	OPTION-915-5000-16	Drive system for engines above 145 horsepower (Includes two 3 groove belts in lieu of a single 4 groove belt)	\$ 450.00	\$ 450.00

INFEED

Qty	Part #	Description	Unit Price	Total
1	OPTION-915-5001-12	29" high x 54" wide tapered heavy-duty infeed with weld on pan and infeed deflectors	\$ 775.00	\$ 775.00
1	OPTION-980-5000-73	Dinamic winch with line docking station and manual push button feed assist (Includes 5/16" diameter x 200' Teufelberger rope with 12" loop installed) (Includes (1) manual rear stabilizer)	\$ 5350.00	\$ 5350.00

FEED SYSTEM

Qty	Part #	Description	Unit Price	Total
1	OPTION-915-5000-47	Spring Loaded Tool less Trap Door (not available on tandem axle units)	\$ 250.00	\$ 250.00

AXLE

Qty	Part #	Description	Unit Price	Total
1	990-1016-02	Single 10,000 pound Torflex axle with electric brakes (0 degree down trail) (Will be 4 1/2" shorter than 45 degree down trail) (Now 900-5910-70)	\$ 0.00	\$ 0.00

TIRES/RIMS

Qty	Part #	Description	Unit Price	Total
-----	--------	-------------	------------	-------

1 990-100406 (2) 215/75R 17.5" tires mounted on 8-bolt heavy-duty gray rims \$ 0.00 \$ 0.00
 (8,000 pound axles on up)

FENDER

Qty	Part #	Description	Unit Price	Total
1	990-100415	Aluminum bolt on fenders (Approximately 1/4" thick)	\$ 0.00	\$ 0.00

HITCH

Qty	Part #	Description	Unit Price	Total
1	990-100274	2-1/2" Wallace Forge Pintle Hitch	\$ 0.00	\$ 0.00

ADD-ON OPTIONS

Chocks & Chock Holders

Qty	Part #	Description	Unit Price	Total
1	OPTION-980-1000	Aluminum Bolt On Chock Holders (Does not include chocks)	\$ 130.00	\$ 130.00
1	OPTION-980-5001-	Rubber Wheel Chocks (2)	\$ 90.00	\$ 90.00

Cone Holder

Qty	Part #	Description	Unit Price	Total
1	OPTION-980-5000-	Pole style cone holder (weld on)	\$ 105.00	\$ 105.00

Flag Holder

Qty	Part #	Description	Unit Price	Total
1	OPTION-980-1000	Bolt-on flag holders (includes flags) - aluminum or steel fenders	\$ 105.00	\$ 105.00

Fuel And Hydraulic Tanks

Qty	Part #	Description	Unit Price	Total
1	OPTION-980-1000	Gate Valve for Fuel Tank	\$ 95.00	\$ 95.00
1	OPTION-915-5000-	Gate Valve for Hydraulic Tank	\$ 130.00	\$ 130.00

Tongue Jack

Qty	Part #	Description	Unit Price	Total
1	OPTION-905-5000-	10,000 pound capacity tongue jack with spring return pad	\$ 225.00	\$ 225.00

Wiring

Qty	Part #	Description	Unit Price	Total
1	OPTION-905-5000-	Option 7 Prong (Flat/RV Style) to 6 Prong Coiled Cord	\$ 45.00	\$ 45.00

CUSTOMER TOTALS

Total Unit Price:		\$ 99140.00
Customer Discount:	14.0000 %	- \$ 13879.60
Customer Net Unit Price:		\$ 85260.40
Customer Total:		\$ 85260.40

* Pricing-Sourcewell #050119-BAN

SIGNATURE

The Buyer, whose name and address appears above, agrees to purchase from the Seller, whose name and address appears above, the above equipment at the prices stated and upon the terms and conditions of this agreement.

X

 Signature

 Date

TERMS AND CONDITIONS

1. Buyer agrees to grant Bandit Industries, Inc., a security interest in the equipment covered by this order unit said equipment is paid in full.
2. This is a shipment contract and the goods shall be delivered F.O.B. Bandit Industries, Inc., Remus, Michigan. The risk of loss of the goods shall pass to the buyer as the goods are tendered to the carrier.
3. In the event Buyer defaults in the payment of any amounts due hereunder immediately due and payable without notice or demand, and shall have all of the remedies of a secured party under the Uniform Commercial Code and any other applicable laws. Upon repossession of the equipment by Seller, any notices required to be given by Seller to Buyer with respect to the sale or other disposition. In the event of a default, Buyer agrees upon Seller's request to make the equipment available to the Seller at such place as Seller may designate.
4. The Buyer agrees to keep the above described property insured against loss or damage by fire, wind, theft and accident by an insurance company or companies is to be payable to the Seller as its interest may appear, and the policies to be delivered to and retained by the Seller until the purchase price is paid in full. Such insurance coverage shall begin when Seller tenders the goods to the carrier.
5. Any tax other governmental charge upon the production, sales, or shipment of the goods sold hereunder, now imposed, or hereafter becoming effective during the term of this agreement, shall be added to the price herein provided, and shall be paid by the Buyer to the Seller.
6. This shall become a binding contract and effective as of the date when, but not before, either:
 - (a) It has been accepted by the Seller at its executive office, or
 - (b) The equipment has been delivered to the Buyer with or without acceptance in writing. Notice of acceptance is hereby waived by the Purchaser. The Purchaser acknowledges receipt of a true and complete copy of its sales agreement.
7. Seller shall not be responsible for failure to ship according to the terms and conditions of this contract, where such failure is caused by any fires, strikes, labor difficulties, failure of carriers to furnish facilities or acts of carriers, or other causes beyond the control of Seller: Provided that when such failure does not exist Seller shall perform this contract within a reasonable time.
8. There are no understandings, agreements, or representations, express or implied including any recording, merchantability, or fitness for particular purpose, not specified herein, respecting this contract or the equipment hereunder. The contract and warranty are intended by the parties as a final expression of their agreement and are intended as a complete and exclusive statement of the terms of their agreement. No course of prior dealings between the parties and no usage of the trade shall be relevant to supplement or explain any terms used in this agreement. Acceptance or acquiescence in a course of performance rendered under this agreement shall not be relevant to determine the meaning of this agreement even the accepting or acquiescing party had knowledge of the nature of the performance and opportunity for objection. Whenever a term defined by the Uniform Commercial Code is used in this agreement the definition contained in the Code is to control.
9. No agent, employee or representative of the Seller has any authority to bind the Seller to any affirmation, representation or warranty concerning the goods sold under this agreement, and unless an affirmation, representation or warranty made by an agent, employee or representative is specifically included with this written agreement, it has not formed a part of the basis of this bargain and shall not in any way be enforceable by the Buyer.
10. This agreement can not be modified or rescinded only by a writing signed by both of the parties or their duly authorized agents.
11. This agreement shall be governed by the Uniform Commercial Code. Whenever the term "Uniform Commercial Code" is used, it shall be construed as meaning the Uniform code as adopted by the State of Michigan as effective and in force on the date of this agreement.
12. The counterpart of this contract held by the Seller shall be considered the original and shall be the binding agreement in case of a variance in any particular between in and the signed copy.